

# **EXHIBIT 4**

<b>Cisco Command Mode</b>	<b>Stanford Ethertip/Gateway Modes</b>	<b>Adtran AOS Command Mode</b>	<b>Alcatel Command Mode</b>	<b>Allied Telesis Command Mode</b>	<b>Lucent Command Mode</b>
User EXEC	User	Basic (command security level)	Normal Exec	User Exec	User
Privileged EXEC	Privileged	Enable (command security level)	Privileged Exec	Privileged Exec	Privileged
Global Configuration	N/A	Global (configuration mode)	Global Configuration	Global Configuration	Global
Interface Configuration	N/A	Interface (configuration mode)	Interface Configuration	Interface Configuration	Interface
<b>Cisco Command Prompt</b>	<b>Stanford Ethertip/Gateway Prompts</b>	<b>Adtran AOS Command Prompt</b>	<b>Alcatel Command Prompt</b>	<b>Allied Telesis Command Prompt</b>	<b>Lucent Command Prompt</b>
router> switch>	>	Router>	Console>	Console>	Cajun>
router# switch#	#	Router#	Console#	Console#	Cajun#
router(config)# switch(config)#	N/A	Router(config)#	Console(config)#	Console(config)#	Cajun (configure)#
router(config-if)# router(config-if)#	N/A	Router(config-interface)#	Console(config-if)#	Console(config-if)#	Cajun (config-if:interface)#

<b>Nortel NNCLI Command Mode</b>	<b>Avaya ERS 8600 Command Mode</b>	<b>Foundry Command Mode</b>	<b>Brocade Command Mode</b>	<b>Dell Command Mode</b>	<b>Force 10 Command Mode (2008+)</b>
User EXEC	User EXEC	User EXEC	User EXEC	User EXEC	User Exec
Privileged EXEC	Privileged EXEC	Privileged EXEC	Privileged EXEC	Privileged EXEC	Privileged Exec
Global Configuration	Global Configuration	Global CONFIG	Global configuration	Global Configuration	Global Config
Interface Configuration	Interface Configuration	Interface CONFIG	Interface subtype configuration	Interface Configuration	Interface Config
<b>Nortel NNCLI Command Prompt</b>	<b>Avaya ERS 8600 Command Prompt</b>	<b>Foundry Command Prompt</b>	<b>Brocade Command Prompt</b>	<b>Dell Command Prompt</b>	<b>Force 10 Command Prompt</b>
Passport-8300:5>	ERS-8600:5>	BigIron>	device>	console>	hostname >
Passport-8300:5#	ERS-8600:5#	BigIron#	device#	console#	hostname #
Passport-8300:5(config)#	ERS-8600:5<config>#	BigIron(config)#	device(config)#	console(config)#	hostname (Config)#
Passport-8300:5(config-if)#	ERS-8600<config-if>#	BigIron(config-if-5/1)#	device(config-if-e1000-1/1/1)#	console(config-if)#	hostname (conf-if-vl-vlan-id)#

<b>D-Link CLI Command Mode</b>	<b>Edge-Core CLI Command Mode</b>	<b>Ericsson (2006) CLI Command Mode</b>	<b>Ericsson (2009) CLI Command Mode</b>	<b>Redback CLI Command Mode</b>	<b>Extreme Networks CLI Command Mode</b>
User EXEC	Normal EXEC	Normal EXEC	User EXEC	Exec (privilege level < 6)	User Exec (or USER EXEC)
Privileged EXEC	Privileged EXEC	Privileged EXEC	Privileged EXEC	Exec (privilege level 6+)	Privileged Exec (or PRIV EXEC)
Global Configuration	Global Configuration	Global Configuration	Global Configuration	Global Configuration	Global Configuration
Interface Configuration	Interface Configuration	Interface Configuration	Interface Configuration	Interface Configuration	Interface Configuration
<b>D-Link CLI Command Prompt</b>	<b>Edge-Core CLI Command Prompt</b>	<b>Ericsson (2006) CLI Command Prompt</b>	<b>Ericsson (2009) CLI Command Prompt</b>	<b>Redback CLI Command Prompt</b>	<b>Extreme Networks CLI Command Prompt</b>
Console>	Console>	Console>	esn212>	>	WMController>
Console#	Console#	Console#	esn212#	#	WMController#
Console(config)#	Console(config)#	Console(config)#	esn212(config)#	(config)#	WMController(config)#
Console(config-if)#	Console(config-if)#	Console(config-if)#	esn212(config-if)#	(config-if)#	WMController(config-if)#

<b>HP ProCurve CLI Command Mode</b>	<b>Unisphere CLI Command Mode</b>	<b>Juniper JUNOS CLI Command Mode</b>	<b>ISCLI Command Mode</b>	<b>NETGEAR ProSAFE Command Mode</b>	<b>NextHop Command Mode</b>
User EXEC	User EXEC	User EXEC	User EXEC	User EXEC	User Execution
Privileged Exec	Privileged Exec	Privileged EXEC	Privileged Exec	Privileged Exec	Privileged Execution
CONFIG ("global CONFIG" level)	Global Configuration	Global Configuration	Global Configuration	Global Config	Global Configuration
CONFIG ("interface level")	Interface Configuration	Interface Configuration	Interface Port Configuration	Interface Config	Interface Configuration
<b>HP ProCurve CLI Command Prompt</b>	<b>Unisphere CLI Command Prompt</b>	<b>Juniper JUNOS CLI Command Prompt</b>	<b>ISCLI Command Prompt</b>	<b>NETGEAR ProSAFE Command Prompt</b>	<b>NextHop Command Prompt</b>
HP9300>	ERX-0-1-90>	host1>	G8000>	Switch>	routerz>
HP9300#	ERX-0-1-90#	host1#	G8000#	Switch#	routerz#
HP9300(config)#	ERX-0-1-90(config)#	host1(config)#	G8000(config)#	Switch (Config)#	routerz(config)#
HP9300(config-if-5/1)#	ERX-0-1-90(config-if)#	host1(config-if)#	G8000(config-if)#	Switch (Interface <unit/slot/port>)#	routerz(config-if)#

<b>Oracle/Sun Command Mode (2012)</b>	<b>Procket Command Mode</b>
User EXEC	Operations command mode (Non-Privileged)
Privileged EXEC	Operations command mode (Privileged)
Global Configuration	Configuration command mode
Interface Configuration	Interface subcommand mode
<b>Oracle/Sun Command Prompt (2012)</b>	<b>Procket Command Prompt</b>
SEFOS>	Router>
SEFOS#	Router#
SEFOS(config)#	Router(config)#
SEFOS(config-if)#	Router(config-if)#